ELSEVIER

Neuroscience Letters 284 (2000) 200–203

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 284

Abe, K., see Hayashi, T., 195
Ackenheil, M., see Zill, P., 113
Ahtee, L., see Salminen, O., 37
Aïoun, J., see Zimmer, L., 25
Akiyama, H., see Ikeda, K., 187
Ali, M.M., Bawari, M., Misra, U.K., Babu, G.N., Locomotor and learning deficits in adult rats exposed to monosodium-L-glutamate during early life, 57
Anderson, E.S., Bjartmar, C., Eriksson, C., Westermark, G., Hildebrand, C., Developing chicken oligodendrocytes express the type IV oligodendrocyte marker T4-O in situ, but not in vitro, 21
Ando, M., Takeuchi, S., mRNA encoding 'ClC-K1, a kidney Cl^-- channel' is expressed in marginal cells of the stria vascularis of rat cochlea: its possible contribution to Cl^- currents, 171
Angelatou, F., see Ekonomou, A., 49
Arai, T., see Ikeda, K., 187
Auer, C., see Siebner, H.R., 147

Babu, G.N., see Ali, M.M., 57
Bardenheuer, H.J., see Plaschke, K., 109
Barillet, F., see Baron, T.G.M., 175
Baron, T.G.M., Madec, J.-Y., Calavas, D., Richard, Y., Barillet, F., Comparison of French natural scrapie isolates with bovine spongiform encephalopathy and experimental scrapie infected sheep, 175
Bawari, M., see Ali, M.M., 57
Benavides, J., see di Michele, F., 65
Bernardi, G., see di Michele, F., 65
Bertsch, T., see Fassbender, K., 135
Bjartmar, C., see Anderson, E.S., 21
Boetsch, T., see Zill, P., 113
Bondy, B., see Zill, P., 113
Bürger, K., see Zill, P., 113

Calavas, D., see Baron, T.G.M., 175
Camacho-Arroyo, I., see Reyna-Neyra, A., 1
Cerbón, M.A., see Reyna-Neyra, A., 1
Chakraverty, S., see Kwon, J.M., 77
Chalon, S., see Zimmer, L., 25
Chen, H.-S., Chen, J., Sun, Y.-Y., Contralateral heat hyperalgesia induced by unilaterally intraplantar bee venom injection is produced by central changes: a behavioral study in the conscious rat, 45
Chen, J., see Chen, H.-S., 45
Chen, X.-Q., Du, J.-Z., Hypoxia influences somatostatin release in rats, 151
Chiba, T., see Yamamoto, T., 155
Conrad, B., see Siebner, H.R., 147

de Jonge, S., see Zill, P., 113
De Leon, K.R., Todtenkopf, M.S., Stellar, J.R., An examination of glutamate decarboxylase$_{65}$ immunoreactive puncta with respect to rat ventral pallidum neurons after repeated cocaine administration, 69
Del Vecchio, F., see Moraes, M.F.D., 13
Delpal, S., see Zimmer, L., 25
Devonshire, A.L., see Huang, Y., 116
di Michele, F., Lekieffre, D., Pasini, A., Bernardi, G., Benavides, J., Romeo, E., Increased neurosteroids synthesis after brain and spinal cord injury in rats, 65
Dillmann, J., Miltner, W.H.R., Weiss, T., The influence of semantic priming on event-related potentials to painful laser-heat stimuli in humans, 53
Doppelmayr, M., see Klimesch, W., 97
Du, J.-Z., see Chen, X.-Q., 151
Durand, G., see Zimmer, L., 25

Edmunds, S.M., see Rouse, S.T., 182
Ehrenstein, W.H., see Schrauf, M., 126
Ekonomou, A., Sperk, G., Kostopoulos, G., Angelatou, F., Reduction of A1 adenosine receptors in rat hippocampus after kainic acid-induced limbic seizures, 49
Eriksson, C., see Anderson, E.S., 21

Fassbender, K., Schneider, S., Bertsch, T., Schlueter, D., Fatar, M., Ragoschke, A., Kühl, S., Kischka, U., Hennerici, M., Temporal profile of release of interleukin-1β in neurotrauma, 135
Fatar, M., see Fassbender, K., 135
Fujii, T., see Harada, H., 163
Funabashi, T., see Saito, K., 93
Furuya, K., see Takahashi, E., 9

Garcia-Cairasco, N., see Moraes, M.F.D., 13
Gardner, H., see Wagner, S., 105
Gilmor, M.L., see Rouse, S.T., 182
Goate, A.M., see Kwon, J.M., 77
González-Mariscal, G., see Reyna-Neyra, A., 1
Goto, F., see Tomioka, A., 167
Guder, W.G., see Riemenschneider, M., 85
Guilloteau, D., see Zimmer, L., 25

Haga, C., see Ikeda, K., 187
Hampel, H., see Zill, P., 113
Harada, H., Hosonuma, K., Fujii, T., Kawashima, K., Enhancement of cerebral cortical acetylcholine release by intraperitoneal acetic acid and its suppression by analgesics in freely moving rats, 163
Hata, M., see Saito, K., 93
Hayashi, T., Sakai, K.-i., Sasaki, C., Zhang, W.R., Warita, H., Abe, K., c-Jun N-terminal kinase (JNK) and JNK interacting protein response in rat brain after transient middle cerebral artery occlusion, 195

PII: S0304-3940(00)01061-2

Heinrich, H., see Moll, G.H., 121
Hennerici, M., see Fassbender, K., 135
Hildebrand, C., see Anderson, E.S., 21
Ho, A., see Schlussman, S.D., 190
Homma, I., see Izumizaki, M., 139
Hori, A., see Ikeda, K., 187
Hosonuma, K., see Harada, H., 163
Hu, Q., see Wu, A., 29
Huang, Y., Williamson, M.S., Devonshire, A.L., Windass, J.D., Lansdell, S.J., Millar, N.S., Cloning, heterologous expression and co-assembly of Mpβ1, a nicotinic acetylcholine receptor subunit from the aphid *Myzus persicae*, 116

Ikeda, K., Akiyama, H., Arai, T., Kondo, H., Haga, C., Tsuchiya, K., Yamada, S., Murayama, S., Hori, A., Neurons containing Alz-50-immunoreactive granules around the cerebral infarction: evidence for the lysosomal degradation of altered tau in humans? 187
Ikeda, K., see Yamagata, K., 131
Inoue, K., see Tomioka, A., 167
Iwase, M., see Izumizaki, M., 139
Izumizaki, M., Iwase, M., Kimura, H., Yanai, K., Watanabe, T., Watanabe, T., Homma, I., Lack of temperature-induced polypnea in histamine H1 receptor-deficient mice, 139

Järv, J., see Sak, K., 179
Jeromin, A., see Werle, M.J., 33
Johansson, P., see Schlussman, S.D., 190
Jürgen Möller, H., see Zill, P., 113

Kajiwara, N., see Takahashi, E., 9
Kasai, M., see Uyeda, A., 61
Kawashima, K., see Harada, H., 163
Kimura, F., see Saito, K., 93
Kimura, H., see Izumizaki, M., 139
Kischka, U., see Fassbender, K., 135
Kiuru, A., see Schlussman, S.D., 190
Kiyosue, K., see Uyeda, A., 61
Klimesch, W., Doppelmayr, M., Röhm, D., Pöllhuber, D., Stadler, W., Simultaneous desynchronization and synchronization of different alpha responses in the human electroencephalograph: a neglected paradox? 97
Kohama, K., see Tomioka, A., 167
Kondo, H., see Ikeda, K., 187
Kopitz, J., see Plaschke, K., 109
Kostopoulos, G., see Ekonomou, A., 49
Kreek, M.J., see Schlussman, S.D., 190
Kudo, M., see Kurokawa, K., 81
Kühl, S., see Fassbender, K., 135
Kuno, S., see Nishimura, M., 73
Kurokawa, K., Yamada, H., Liu, Y., Kudo, M., Immunohistochemical distribution of the endothelin-converting enzyme-1 in the rat hypothalamo-pituitary axis, 81
Kurz, A., see Riemenschneider, M., 85
Kwon, J.M., Nowotny, P., Shah, P.K., Chakraverty, S., Norton, J., Morris, J.C., Goate, A.M., Tau polymorphisms are not associated with Alzheimer's disease, 77

Lansdell, S.J., see Huang, Y., 116
Lautenschlager, N., see Riemenschneider, M., 85
Lee, K., see Preston, Z., 89
Lehner, C., see Siebner, H.R., 147
Lekieffre, D., see di Michele, F., 65
Levey, A.I., see Rouse, S.T., 182
Lintern, M.C., Wetherell, J.R., Smith, M.E., Effect of halothane administration on acetylcholinesterase activity in guinea-pig muscle and brain, 101
Liu, Y., see Kurokawa, K., 81
Liu, Y., see Wu, A., 29

Madec, J.-Y., see Baron, T.G.M., 175
Margrie, T.W., Rostas, J.A.P., Sah, P., Inhibition of transmitter release and long-term depression in the avian hippocampus, 17
Martin, E., see Plaschke, K., 109
Matsubara, S., see Saito, K., 93
Mentschel, C., see Siebner, H.R., 147
Millar, N.S., see Huang, Y., 116
Miltner, W.H.R., see Dillmann, J., 53
Misra, U.K., see Ali, M.M., 57
Mitsushima, D., see Saito, K., 93
Mizuta, E., see Nishimura, M., 73
Mizuta, I., see Nishimura, M., 73
MohanKumar, P.S., see MohanKumar, S.M.J., 159
MohanKumar, S.M.J., MohanKumar, P.S., Quadri, S.K., Effects of bacterial lipopolysaccharide on central monoamines and fever in the rat: involvement of the vagus, 159
Moll, G.H., Heinrich, H., Trott, G.-E., Wirth, S., Rothenberger, A., Deficient intracortical inhibition in drug-naive children with attention-deficit hyperactivity disorder is enhanced by methylphenidate, 121
Moraes, M.F.D., Del Vecchio, F., Terra, V.C., Garcia-Cairasco, N., Time evolution of acoustic 'information' processing in the mesencephalon of Wistar rats, 13
Morofushi, M., see Saito, K., 93
Morris, J.C., see Kwon, J.M., 77
Murayama, S., see Ikeda, K., 187

Nara, Y., see Yamagata, K., 131
Nishimune, H., see Uyeda, A., 61
Nishimura, M., Mizuta, I., Mizuta, E., Yamasaki, S., Ohta, M., Kuno, S., Influence of interleukin-1β gene polymorphisms on age-at-onset of sporadic Parkinson's disease, 73
Norton, J., see Kwon, J.M., 77
Nowotny, P., see Kwon, J.M., 77
Nyberg, F., see Schlussman, S.D., 190

Ohta, M., see Nishimura, M., 73
Ohtori, S., see Yamamoto, T., 155

Padberg, F., see Zill, P., 113
Pasini, A., see di Michele, F., 65
Pinnock, R.D., see Preston, Z., 89
Plaschke, K., Kopitz, J., Weigand, M.A., Martin, E., Bardenheuer, H.J., The neuroprotective effect of cerebral poly(ADP-ribose)polymerase inhibition in a rat model of global ischemia, 109
Pöllhuber, D., see Klimesch, W., 97
Poon, C.-S., Young, D.L., Siniaia, M.S., High-pass filtering of carotid-vagal influences on expiration in rat: role of *N*-methyl-D-aspartate receptors, 5
Preston, Z., Richardson, P.J., Pinnock, R.D., Lee, K., NK-3 receptors are expressed on mouse striatal γ-aminobutyric acid -ergic interneurones and evoke [^{3}H] γ-aminobutyric acid release, 89

Quadri, S.K., see MohanKumar, S.M.J., 159

Ragoschke, A., see Fassbender, K., 135
Ren, T., see Wu, A., 29
Reyna-Neyra, A., Camacho-Arroyo, I., Cerbón, M.A., González-Mariscal, G., Mating modifies *c-fos* expression in the brain of male and female rabbits, 1
Richard, Y., see Baron, T.G.M., 175
Richardson, P.J., see Preston, Z., 89
Riemenschneider, M., Schmolke, M., Lautenschlager, N., Guder, W.G., Vanderstichele, H., Vanmechelen, E., Kurz, A., Cerebrospinal beta-amyloid $_{(1-42)}$ in early Alzheimer's disease: association with apolipoprotein E genotype and cognitive decline, 85
Roder, J., see Werle, M.J., 33
Röhm, D., see Klimesch, W., 97
Romeo, E., see di Michele, F., 65
Rostas, J.A.P., see Margrie, T.W., 17
Rothenberger, A., see Moll, G.H., 121
Rouse, S.T., Edmunds, S.M., Yi, H., Gilmor, M.L., Levey, A.I., Localization of M_2 muscarinic acetylcholine receptor protein in cholinergic and non-cholinergic terminals in rat hippocampus, 182

Sah, P., see Margrie, T.W., 17
Saito, K., Shinohara, K., Morofushi, M., Funabashi, T., Mitsushima, D., Hata, M., Matsubara, S., Kimura, F., Effects of irradiation on the sensitivity of melatonin release to norepinephrine in cultured pineal bodies of rats, 93
Sak, K., Järv, J., Adenosine triphosphate is full antagonist at human $P2Y_1$ purinoceptors, 179
Sakai, K.-i., see Hayashi, T., 195
Salminen, O., Ahtee, L., The effects of acute nicotine on the body temperature and striatal dopamine metabolism of mice during chronic nicotine infusion, 37
Sasaki, C., see Hayashi, T., 195
Satoh, M., Sugino, H., Yoshida, T., Activin promotes astrocytic differentiation of a multipotent neural stem cell line and an astrocyte progenitor cell line from murine central nervous system, 143
Schlueter, D., see Fassbender, K., 135
Schlussman, S.D., Zhou, Y., Johansson, P., Kiuru, A., Ho, A., Nyberg, F., Kreek, M.J., Effects of the androgenic anabolic steroid, nandrolone decanoate, on adrenocorticotropin hormone, corticosterone and proopiomelanocortin, corticotropin releasing factor (CRF) and CRF receptor1 mRNA levels in the hypothalamus, pituitary and amygdala of the rat, 190
Schmolke, M., see Riemenschneider, M., 85
Schneider, S., see Fassbender, K., 135
Schrauf, M., Wist, E.R., Ehrenstein, W.H., The scintillating grid illusion during smooth pursuit, stimulus motion, and brief exposure in humans, 126
Shah, P.K., see Kwon, J.M., 77
Shinohara, K., see Saito, K., 93
Siebner, H.R., Mentschel, C., Auer, C., Lehner, C., Conrad, B., Repetitive transcranial magnetic stimulation causes a short-term increase in the duration of the cortical silent period in patients with Parkinson's disease, 147
Simo Wydisdtuti, M., see Uyeda, A., 61
Siniaia, M.S., see Poon, C.-S., 5
Smith, M.E., see Lintern, M.C., 101
Sperk, G., see Ekonomou, A., 49
Stadler, W., see Klimesch, W., 97
Stančák Jr., A., The electroencephalographic β synchronization following extension and flexion finger movements in humans, 41
Stellar, J.R., see De Leon, K.R., 69
Stübner, S., see Zill, P., 113
Sugino, H., see Satoh, M., 143
Sugiyama, F., see Takahashi, E., 9
Sun, Y.-Y., see Chen, H.-S., 45

Tagami, M., see Yamagata, K., 131
Taguchi, T., see Uyeda, A., 61
Takahashi, E., Kajiwara, N., Furuya, K., Sugiyama, F., Yagami, K.-i., Expression analysis of the 5′-upstream region of mouse P/Q-type Ca^{2+} channel α_{1A} subunit gene fused to *Escherichia coli lacZ* reporter gene in the spinal cord using transgenic mice, 9
Takeuchi, S., see Ando, M., 171
Terra, V.C., see Moraes, M.F.D., 13
Todtenkopf, M.S., see De Leon, K.R., 69
Tomioka, A., Ueno, S., Kohama, K., Goto, F., Inoue, K., Propofol potentiates ATP-activated currents of recombinant $P2X_4$ receptor channels expressed in human embryonic kidney 293 cells, 167
Trott, G.-E., see Moll, G.H., 121
Tsuchiya, K., see Ikeda, K., 187

Ueno, S., see Tomioka, A., 167
Uyeda, A., Simo Wydisdtuti, M., Nishimune, H., Kiyosue, K., Kasai, M., Taguchi, T., Chick muscle-derived protein 62: a novel neurite outgrowth promoting protein, 61

Vanderstichele, H., see Riemenschneider, M., 85
Vanmechelen, E., see Riemenschneider, M., 85

Wagner, S., Gardner, H., Modes of regulation of laminin-5 production by rat astrocytes, 113
Warita, H., see Hayashi, T., 195
Watanabe, T., see Izumizaki, M., 139
Watanabe, T., see Izumizaki, M., 139
Weigand, M.A., see Plaschke, K., 109
Weiss, T., see Dillmann, J., 53
Werle, M.J., Roder, J., Jeromin, A., Expression of frequenin at the frog (*Rana*) neuromuscular junction, muscle spindle and nerve, 33
Westermark, G., see Anderson, E.S., 21
Wetherell, J.R., see Lintern, M.C., 101
Williamson, M.S., see Huang, Y., 116
Windass, J.D., see Huang, Y., 116
Wirth, S., see Moll, G.H., 121
Wist, E.R., see Schrauf, M., 126
Wu, A., Ren, T., Hu, Q., Liu, Y., Deltamethrin induces altered expression of P53, Bax and Bcl-2 in rat brain, 29

Yagami, K.-i., see Takahashi, E., 9
Yamada, H., see Kurokawa, K., 81
Yamada, S., see Ikeda, K., 187
Yamagata, K., Tagami, M., Ikeda, K., Yamori, Y., Nara, Y., Altered gene expressions during hypoxia and reoxygenation in cortical neurons isolated from stroke prone spontaneously hypertensive rats, 131
Yamamoto, T., Ohtori, S., Chiba, T., Inhibitory effect of intrathecally administered nociceptin on the expression of Fos-like immunoreactivity in the rat formalin test, 155
Yamasaki, S., see Nishimura, M., 73

Yamori, Y., see Yamagata, K., 131
Yanai, K., see Izumizaki, M., 139
Yi, H., see Rouse, S.T., 182
Yoshida, T., see Satoh, M., 143
Young, D.L., see Poon, C.-S., 5

Zhang, W.R., see Hayashi, T., 195
Zhou, Y., see Schlussman, S.D., 190
Zill, P., Padberg, F., de Jonge, S., Hampel, H., Bürger, K., Stübner, S., Boetsch, T., Jürgen Möller, H., Ackenheil, M., Bondy, B., Serotonin transporter (5-*HTT*) gene polymorphism in psychogeriatric patients, 113
Zimmer, L., Delpal, S., Guilloteau, D., Aïoun, J., Durand, G., Chalon, S., Chronic *n*-3 polyunsaturated fatty acid deficiency alters dopamine vesicle density in the rat frontal cortex, 25